

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	40605	query near5 (generat\$5 or creat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 15:47
L2	0	L1 and (argument same (function\$4 or method or procedure) same (position or place\$holder) same (syntax near5 pattern))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 15:47
L3	0	L1 and (argument same (position or place\$holder) same (syntax near5 pattern))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 15:48
L4	276	L1 and (argument same (position or place\$holder))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 15:48
L5	1	L1 and ((argument or parameter) same (position or place\$holder) same (syntax near5 pattern))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 15:49
L8	3	l4 and "707"/802.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 15:50
L11	60	l4 and ((argument or parameter) same (vector or array) same (function\$4 or method or procedur\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 15:57

L12	33	l11 and (@ad<"20010619" or @rlad<"20010619")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 15:58
L13	0	l2 and ((argument or parameter) same (syntax near3 pattern))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 16:05
L14	0	L1 and ((argument parameter) same (function\$4 or method or procedure) same (position or place \$holder) same (syntax near5 pattern))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 16:06
S1	40605	query near5 (generat\$5 or creat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 13:41
S2	0	S1 and ((vector or array) same (function\$4 or method or procedure) with (position or place\$holder) same (syntax near5 pattern))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 13:43
S3	0	((vector or array) same (function\$4 or method or procedure) with (position or place\$holder) same (syntax near5 pattern))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 13:44
S4	2	((vector or array) same (function\$4 or method or procedure) same (position or place\$holder) same (syntax near5 pattern))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 13:44
S5	0	S1 and ((vector or array) same (function\$4 or method or procedure) same (position or place\$holder) same (syntax near5 pattern))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 13:45

EAST Search History (I nterference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
-------	------	--------------	-----	------------------	---------	------------

L10	6	L9 and (argument same (position or place\$holder)).clm.	USPAT; UPAD	OR	ON	2011/03/27 15:51
L17	3	L9 and ((argument or parameter) same (position or place\$holder)).clm. and 706/45.ccls.	USPAT; UPAD	OR	ON	2011/03/27 16:08

3/ 27/ 2011 4:26:16 PM